

Saturation Absorption Frequency Stabilization Module

Precilasers has launched an integrated laser frequency stabilization controller for portable systems. The integrated controller integrates a frequency stabilization optical path and a locking controller. Users only need to input the laser to be stabilized through an optical fiber jumper to achieve laser frequency stabilization. The frequency stabilization controller has an integrated optical path module, which ensures the full fiber connection of the optical path. The integrated optical path module can be used to generate spectral lines such as saturation absorption spectrum or modulation transfer spectrum. Depending on the different atomic absorption cells in the optical path, the module can be used for frequency stabilization different wavelength lasers.

Features

- High Frequency Stability
- Portable
- All-fiber Frequency-Stabilized Optical Path

Applications

- Optical Precision Measurement
- Quantum Computing
- Quantum Precision Measurement






| Specification | | |
|---------------------------------|--|---|
| Partnumber | Preci-SAS-Rb | Preci-SAS-Cs |
| Spectral Line Generation Method | Saturation absorption spectrum | |
| Modulation Frequency | 10kHz-100kHz & 2-30MHzDigitally adjustable | |
| De-modulation Phase | 0-360°Digitally adjustable | |
| Error Signal Amplitude | > 200mVpp | |
| Optical Packing | All-fiber structure | |
| Spectrum Generation | Built-in Rb Cell | Built-in Cs Cell |
| Input | Single-mode polarization-maintaining fiber input, FC/APC connector | |
| Operation Mode | 3mW 780nmInput, feedback control signal output | 3mW 852nm input, feedback control signal output |
| Configuration | Include PD, Rb/Cs bulb, modulation and demodulation circuit | |
| Locking Accuracy | <±150kHz@24h | |




Product Dimensions






Performance(typical value)



Frequency stability test



Frequency stability testFrequency drift test



Shanghai Precilasers Technology Co., Ltd.

- **♥** Floor 2, Building 2, No. 1918, Xupan Road, Jiading District, Shanghai
- 2 021-59160265



